NEWLINE INTERACTIVE SOLUTIONS FOR

# HOSPITALITY & TRAVEL

# Z SERIES

newline
Connect. Create. Collaborate.

USB Type-C
With Power

Antimicrobial
Surface

Secure
Android 11 OS

Eco-friendly
Proximity Sensor

Better
Connectivity

Superior Capacitive
Touch (P-CAP)

Tiltable 4K Wide
Angle Camera

Compatible
with all Devices

# Q SERIES

Antimicrobial Surface

Newline App Store

Secure User Profile

Embedded Blue Light filter

Object Recognition

Optional Camera module

Enhanced Wi-Fi 6

65W Powered USB Type-C

# HOSPITALITY APPLICATIONS

newline
Connect. Create. Collaborate.



Reception & Self- Booking & Check-In

Wellness Centers, Gym & Spa

Lobby area -Interactive Display with Interactive digital signage player solutions

Worship area-Queue Management
Live view of worship at outside area

Museums - Multi Touch Info Screens, Product Catalogs, Interactive Quiz

# RECEPTION & SELF CHECK-IN AREA

newline
Connect. Create. Collaborate.

LAN/WI-FI

RECEPTION AREA NON-TOUCH DISPLAY

SELF CHECKIN – CHECKOUT WITH PAYMENT INTEGRATION

# APPLICATIONS FOR RECEPTION & SELF BOOKING & CHECK-IN DISPLAY

Guest can get amazing views of the room, Banquets, common spaces by panoramic views the hotel offers

Booking & Check-In Individual appointment booking and interactive check-in 24/7.

# APPLICATIONS FOR RECEPTION & SELF BOOKING & CHECK-IN DISPLAY

## SOLUTIONS BOQ

### RECEPTION AREA

98 Inch 4K
Q Series display

OPS with appropriate
configurations

Digital signage
Software application

Display Management
Software's

Central
Management PC

newline
Connect. Create. Collaborate

# APPLICATIONS FOR RECEPTION & SELF BOOKING & CHECK-IN DISPLAY

## SOLUTIONS BOQ

### SELF CHECK-IN KIOSK

65/75 Inch 4K Interactive display

OPS with appropriate configurations

Check-in –checkout software with digital payment integration

# LOBBY AREA -INTERACTIVE DISPLAY WITH INTERACTIVE DIGITAL SIGNAGE PLAYER SOLUTIONS



# APPLICATIONS FOR LOBBY AREA & COMMON FLOORS

## INTERACTIVE VIRTUAL ASSISTANT FOR GUESTS

Visitors can easily and quickly get the information they need.

Cab booking & other services

inquire about destinations in the immediate area - 24 hours a day.

Interactive routing and background information for points of interest.

Fire evacuation : Complaint and emergency message display

Individual evaluation forms to collect valuable customer feedback

# APPLICATIONS FOR LOBBY AREA & COMMON FLOORS

## SOLUTIONS BOQ

65 Inch 4K Interactive display

Cloud-based digital signage management by Brightsign

4K OPS Media Player by Brightsign

Cables and accessories

# SOLUTIONS FOR WELLNESS CENTERS, GYM & SPA

newline
Connect. Create. Collaborate.

# APPLICATIONS FOR WELLNESS CENTRE, GYM, SPA

Visitors can easily and quickly get the information they need

Different area, different music, different visualization

Gym-Training Centre by scanning the QR Code user can get variety of predefined videos

# APPLICATIONS FOR WELLNESS CENTRE, GYM, SPA

## SOLUTIONS BOQ

86 Inch 4K Non Touch display for wellness Center

Cloud-based digital signage management by Brightsign

75 Inch 4K Interactive screen

QR Code Scanner Application

HdBT Video Switchers & scalers

HDMI Extender Kits

Powered Amplifier

Cables and accessories

# SOLUTIONS FOR WORSHIP AREA, LIVE VIEW, CCTV VIEW

newline
Connect. Create. Collaborate.

# APPLICATION WORSHIP AREA, LIVE VIEW OF PREMISES & LONG DISTANCE TRANSMISSION




Visitors can easily and quickly get the information they need

# APPLICATION WORSHIP AREA, LIVE VIEW OF PREMISES & LONG DISTANCE TRANSMISSION

## SOLUTIONS BOQ

86 Inch 4K
Non Touch display

Cloud-based digital signage
management by Brightsign

QR Code Scanner
Application

Bi-directional RS-232
control/transmission-TP-752T

Camera Setup
& Switchers

Any 2 Pair
Cables

newline
Connect. Create. Collaborate.

# Q SERIES
## SPECIFICATIONS

| PRODUCT | TT-5521Q | TT-6521Q | TT-7521Q | TT-8621Q | TT-9821Q |
|---|---|---|---|---|---|
| SCREEN SIZE | 55" | 65" | 75" | 86" | 98" |
| ACTIVE AREA | 1210 X 680 MM | 1432 X 807 MM | 1652 X 930 MM | 1893 X 1069 MM | 2163 X 1221 MM |
| WEIGHT (KG) | 38 | 39 | 52 | 65 | 85 |
| TOUCH TECHNOLOGY | | | IR | | |
| RESOLUTION | | | 3840 × 2160 (4K) | | |
| VIEWING ANGLE | | | 178° | | |
| BACKLIGHT | | | DLED | | |

newline

# Z SERIES
## SPECIFICATIONS

| MODEL NUMBER | TT-5522Z | TT-6522Z | TT-7522Z | TT-8622Z |
|---|---|---|---|---|
| SIZE | 55" | 65" | 75" | 86" |
| DISPLAY AREA (IN) | 47.6 X 26.8 | 56.2 X 31.7 | 63.2 X 36.5 | 74.6 X 41.9 |
| WEIGHT (LBS) | 61.7 LBS | 79.3 LBS | 110.2 LBS | 132.3 LBS |
| TOUCH TECHNOLOGY | P-CAP (PROJECTED CAPACITIVE TOUCH) | | | |
| VIEWING ANGLE | 178° | 178° | 178° | 178° |

newline

www.newlineinteractive.in

**THANK YOU!**